

## Product certificate K20470/03

Issued 2016-12-01  
Replaces K20470/02  
Page 1 of 3

### Electrofusion fittings made of PE

#### STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Product Certification, Kiwa declares that legitimate confidence exists that the products supplied by

### Plasson Ltd

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K17105 "plastics piping systems of polyethylene for the transport of drinking water and raw water" dated 09-03-2015.



Luc Leroy  
Kiwa

Publication of the certificate is allowed.

Advice: consult [www.kiwa.nl](http://www.kiwa.nl) in order to ensure that this certificate is still valid.

#### Kiwa Nederland B.V.

Sir Winston Churchillaan 273  
Postbus 70  
2280 AB RIJSWIJK  
The Netherlands

Tel. +31 88 998 44 00  
Fax +31 88 998 44 20  
[info@kiwa.nl](mailto:info@kiwa.nl)  
[www.kiwa.nl](http://www.kiwa.nl)



2871/60324

#### Supplier

Plasson Ltd  
Maagan Michael O  
37 805 D.N. MENASHE  
Israel  
T +972(0)46 39 47 11  
F +972(0)46 39 47 40  
I [www.plasson.com](http://www.plasson.com)  
E [sales@plasson.com](mailto:sales@plasson.com)

#### Importer 1

Milder Bommel  
Industrieterrein Huissen-Bommel  
Nijverheidstraat 28  
6681 LN Bommel  
The Netherlands  
T +31(0)26 325 91 03  
F +31(0)26 325 66 0

#### Importer 2

Milder Rotterdam  
Industrieterrein Noord-West  
Sevillaweg 70-72  
3047 AL Rotterdam  
The Netherlands  
T +31(0)10 415 99 38  
F +31(0)10 437 76 04

**Certification process  
consists of initial and  
regular assessment of:**

- quality system
- product

## Electrofusion fittings made of PE

### PRODUCT SPECIFICATION

Electrofusion fittings made of PE according to evaluation guideline BRL-K17105 "Plastics piping systems of polyethylene for the transport of drinking water and raw water"

The dimensions and types, given in the table below are part of this product certificate

<b>Material: PE 100</b>	
<b>Nom. pressure: PN 16</b>	
<b>Description</b>	
Coupler	20 - 315
Reducing Coupler	20x32 - 125x90
End Cap	20 - 250
End Plug	32 - 180
Tee 90°	20 - 160
Reducing Tee	32x20x32 160x90x160
Elbow 90°	20 - 160
Elbow 45°	32 - 160
Elbow 22.5°	125 - 160
Male Transition Coupler	20x1/2" - 75x2 1/2"
Female Transition Coupler	20x1/2" - 63x2"
Male Transition Elbow 90	20x1/2" - 75x2 1/2"
Female Transition Elbow	20x1/2" - 63x2"
Male Transition Elbow 45	32x1" - 75x2 1/2"
Female Transition Elbow 45	20x3/4" - 63x2 1/2"
Free Nut Transition Coupler	32x1" - 63x2"
Male Free Nut transition Coupler	20x3/4" - 63x2 1/2"
Free Nut Transition Elbow 90	32x1" - 63x2"
Male Free Nut Transition Elbow 90	32x1 1/4" - 63x2 1/2"
Free Nut Transition Elbow 45	32x1" - 63x2"
Male Free Nut Transition Elbow 45	32x1" - 63x2"
Male PE Transition Coupler	25x3/4" - 63x2"
Male PE Transition Coupler 90°	25x3/4" - 63x2"
Male PE Transition Elbow 45°	25x3/4" - 63x2"

### Fitness for contact with drinking water

This product is approved on the basis of the requirements for hygienic aspects set in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" ("Materials and chemicals in the supply of drinking water and warm tap water Regulation"; published in the Government Gazette).

These hygienic aspects are based on two main criteria. The product shall permanently comply with:

- The product recipe approved during the assessment procedure. This recipe is not to be changed without prior approval by Kiwa according to the Kiwa approval procedure for the hygienic aspects;
- Specific product requirements for the hygienic aspects.

The recipe and specific product requirements are laid down in the for confidentiality reasons undisclosed 'appendix hygienic aspects' to this certificate.

## Electrofusion fittings made of PE




---

### MARKING

De products shall be marked with the Kiwa®-mark

### Fittings

Each fitting and the smallest packaging unit of the fitting is provided with at least the following marks:

- **KIWA**  or on small products  or  or **KK**\* or **KK\***;
- manufacturer's name, trade name or logo;
- nominal outside diameter of the corresponding pipe in mm;
- pressure class;
- production code;
- for fittings with an internal supporting ring: the nominal wall thickness of the connecting pipe;
- PE type of the (PE 80 or PE 100), depending on the field of application;
- BRL K17105 and/or EN 12201.

Location of the marks: on every package.

The realization of the marks is as follows: clear, durable and indelible.

\*) for small fittings marking with only KK is permitted

### APPLICATION AND USE

The products are intended for PE piping systems for the transport of drinking water and raw water heated to 40° degrees.

### RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Plasson Ltd
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.